

TenaControls Brings Models to Life


Instructions for Model#: CARL-BB, the Standard Car Lighting System for 1/25 Scale Model Cars

This unit is completely assembled and tested. The only thing you need to do is connect up the led's and the Momentary Magnetic Switch to the connection points as shown below in the Master Wiring Diagram. Then just plug in the provided 12 volt battery into the holder and throw the micro slide switch on. Hot glue drops on the four sides of the board works well for locking into place.

Items you will need: Soldering Iron, solder, cutter, wire stripper and additional wiring.


****Note:** When using the shrink tubing, you need to only slide the shrink tubing over one leg of the led to keep it from shorting against the other leg. Then use heat gun or flame from lighter to heat the shrink tubing until it shrinks around the wire connected to one of the led legs.

How to distinguish a led:



TenaControls Brings Models to Life

On/Off Switch is on the other side of the board



Picture of magnetic switch



TenaControls Brings Models to Life

Rear Back Up Lights

1. **Two White led's, LED1-LED2.** The Two Anodes (+) of the Rear Back up Lights led's, LED1-LED2 connect to the Blue wire from the pc board. Then connect the Cathode (-) of LED1-LED2 to the Orange wire from the pc board. See above diagram.

Rear Driving Lights

2. **Two Red led's, LED3-LED4.** The Two Anodes (+) of the Rear Driving Lights led's, LED3-LED4 connect to the White wire from the pc board. Then connect the Cathode (-) of LED3-LED4 to the Orange wire from the pc board. See above diagram.

Front Driving Lights

3. **Two White LED5-LED6.** The Two Anodes (+) of the Front Driving Lights led's, LED5-LED6 connect to the Green wire from the pc board. Then connect the Cathode (-) of LED5-LED6 to the Orange wire from the pc board. See above diagram.

Right Side Front & Rear Directional Lights

4. **Two Orange LED7-LED8.** The Two Anodes (+) of the Right Side Front and Rear Directional Lights led's, LED7-LED8 connect to the Yellow wire from the pc board. Then connect the Cathode (-) of LED7-LED8 to the Orange wire from the pc board. See above diagram.

Left Side Front & Rear Directional Lights

5. **Two Orange LED9-LED10.** The Two Anodes (+) of the Left Side Front and Rear Directional Lights led's, LED9-LED10 connect to the Black wire from the pc board. Then connect the Cathode (-) of LED9-LED10 to the Orange wire from the pc board. See above diagram.

6. Once all the above wiring is done and the Magnetic Switch is mounted in the area of your choice. Slide the power on Switch to the on position, the front and rear driving lights will come on. The first Swipe using the enclosed magnet across the Magnetic Switch will turn the **High Beams** "on". The second Swipe across the Magnetic Switch will turn the **Left Front and Rear Directional** "on". The third Swipe across the Magnetic Switch will turn the **Right Front and Rear Directional** "on". The fourth Swipe across the Magnetic Switch will turn the **Rear Brake Lights** "on". The fifth Swipe across the Magnetic Switch will turn the **Rear Back up Lights** "on". The sixth Swipe across the Magnetic Switch will turn all **four directional Lights** "on" to **simulate Hazard lights**. The seventh Swipe across the Magnetic Switch will place the car lighting system **on automatic sequencing** through all the above lighting phases. To return to manual mode just swipe across the Magnetic Switch one more time.

TenaControls Brings Models to Life

Warranty

TenaControls warrants that the control boards sold meet TenaControls specifications and are adequately contained, packaged and labeled and conform to the promises and affirmations of fact made on the container and label. THE FOREGOING WARRANTIES ARE EXCLUSIVE, AND ARE IN LIEU OF ALL OTHER WARRANTIES (WHETHER WRITTEN, ORAL OR IMPLIED) INCLUDING WARRANTY OR MERCHANTABILITY IN OTHER RESPECTS THAN EXPRESSLY SET FORTH ABOVE AND WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

In the event that there is a breach of express warranty by the manufacturer made in connection with the purchase of this product, if any, the sole remedy of any buyer shall be to return the product along with original sales receipt, at **buyer's expense** for repair (or replacement of the product if repair is impossible) to the manufacturer's facility in the Commonwealth of Massachusetts, located at 22 Hancock Street, Milford, MA 01757. Some states do not allow the exclusion or limitation of any incidental or consequential damages, so the above limitation may not apply to you. Nothing herein contained shall be construed to be a waiver by the manufacturer of any of the obligations imposed upon said buyer under the laws of the Commonwealth of Massachusetts except as herein specifically stated.

This warranty is enforceable only by the buyer of the product or a person in the buyer's immediate family. This warranty is enforceable for a period of **FIVE YEARS** from the date of purchase. Some states do not allow limitations on how long an implied warranty lasts, so the above warranty may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

Warranty Void if:

- A) Product is altered in any way.
- B) Used for other than its intended use.
- C) Buyer mishandling.